



Translation

(1) EC-Type Examination Certificate

- (2) Equipment and protective systems intended for use in potentially explosive atmospheres - Directive 94/9/EC
- (3) No. of EC-Type Examination Certificate: **BVS 15 ATEX E 056 X**
- (4) Equipment: **Ex-camera type K55*-Ex**
- (5) Manufacturer: **F. H. Papenmeier GmbH & Co. KG**
- (6) Address: **Talweg 2, 58239 Schwerte, Germany**
- (7) The design and construction of this equipment and any acceptable variation thereto are specified in the appendix to this type examination certificate.
- (8) The certification body of DEKRA EXAM GmbH, notified body no. 0158 in accordance with Article 9 of the Directive 94/9/EC of the European Parliament and the Council of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive. The examination and test results are recorded in the Test and Assessment Report BVS PP 15.2082 EG.
- (9) The Essential Health and Safety Requirements are assured by compliance with:
- EN 60079-0:2012 + A11:2013 General requirements**
EN 60079-1:2007 Flameproof enclosure "d"
EN 60079-31:2009 Protection by Enclosure "t"
- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the appendix to this certificate.
- (11) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment in accordance to Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.
- (12) The marking of the equipment shall include the following:

 **II 2G Ex d IIC T6 Gb**
II 2D Ex tb IIIC T80°C Db

DEKRA EXAM GmbH
Bochum, dated 2015-05-06

Signed: Schumann

Certification body

Signed: Dr. Wittler

Special services unit



- (13) Appendix to
- (14) **EC-Type Examination Certificate
BVS 15 ATEX E 056 X**
- (15) 15.1 Subject and type

Ex-camera type K55*-Ex
Asterisk Description

1	Format of video (not relevant for explosion protection)
	P PAL
	N NTSC

15.2 Description

The Ex-camera type K55*-Ex consists of an enclosure, a terminal compartment lid and a flanged ring with cemented window at the camera compartment. All metallic parts are made of stainless steel. The complete device is designed in type of protection Flameproof Enclosure „d“ for usage in areas endangered by gas atmosphere and in type of protection Protection by Enclosure „t“ for usage in areas endangered by dust atmospheres.

The lid of the terminal compartment and the flanged ring with cemented window are used with o-rings to prevent ingress of water and dust.

The enclosure is divided into two sub-compartments with a separation plate which has got several holes to link both compartments.

15.3 Parameters

Electrical parameters

Rated voltage.	DC	12 V
Rated power		5 W

Thermal parameters

Ambient temperature range	-20 °C ≤ T _{amb} ≤ 50 °C
Temperature class	T6
Maximum surface temperature	T80 °C

Other parameters

Ingress protection	IP65 / IP 67
--------------------	--------------

Cable Gland

Type	Certificate	Clamping range
RST ADE 4F No. 5	LCIE 97 ATEX 6008X	7-12 mm
KU1BPM20	IMQ 08 ATEX E 021 X	9-12 mm
KU1SM20		
HSK-M-Ex-d	KEMA 99 ATEX 6968 X	7-12 mm
HSK-INOX -Ex-d		

Cable (together with cable glands above)

Type	Cross section	Diameter	Minimum length
Control cable	2 × 3 × 0.56 mm ²	7.9 mm	1 m
Video combination cable	4 × 0.5 mm ²	10.6 mm	1 m
Video combination cable	4 × 0.5 mm ²	10.6 mm	1 m



(16) Test and Assessment Report

BVS PP 15.2082 EG as of 2015-05-06

(17) Special conditions for safe use

If the Ex-camera type K55*-Ex has got a fixed cable tail, this cable must be protected for operation so that no electrostatic hazard can occur.

The length of the supply line must be 1 m minimum.

We confirm the correctness of the translation from the German original.
In the case of arbitration only the German wording shall be valid and binding.

DEKRA EXAM GmbH
44809 Bochum, 2015-05-06
BVS-Kir/Ma A 20140392

Certification body

Special services unit

